

LUMIA BLINDS

Roman Shades

Product Catalogue · 2025



*Handcrafted window treatments combining Turkish manufacturing
heritage with modern precision.*

14

FABRICS

200+

COLOURS

6

LIFT TYPES

25+

YEARS EXP.

Designed for light. *Built to last.*

Lumia Roman Shades are manufactured by TDC — a Turkish window treatment producer with over 25 years of industry experience.

Each shade is built with precise craftsmanship, offering a range of fabric transparencies, lift mechanisms, and exclusive features unavailable elsewhere in the market.

KEY FEATURES

TDBU EXCLUSIVE

Top-down bottom-up across all 3 lift types — cordless, CCL, motorized.

NO-LINER OPTION

Lining-free construction for a softer, more natural drape and light diffusion.

WASHABLE FABRIC

Ring-based shroud system allows fabric removal for washing.

COLOR-MATCHED HARDWARE

12 headrail colour options coordinated to your fabric selection.

25+ YEARS EXPERIENCE

Turkish manufacturing heritage with US market expertise.

CHILD SAFE

Shrouded cord system on all cordless and CCL mechanisms.



Table of Contents

A complete guide to Lumia Roman Shades — from fabric selection through to installation. Designed for retailers, designers and specifiers.

01	Introduction Brand story, key features	02
02	Fabrics & Colours 14 fabrics, 200+ colour options	04
03	Fabric Contents Material, weight, transparency	36
04	Fold Styles Flat fold, hobbled, relaxed	38
05	Lift Mechanisms Cordless, CCL, motorized	40
06	TDBU Feature Top-down bottom-up — exclusive	43
07	Headrail Colours 12 coordinated colour options	45
08	Sizing & Specs Min/max, deductions, mount types	46
09	Product Features No-liner, washable, 2-on-1	48
10	Installation Inside & outside mount, care	50
11	General Reminders Claims, remakes, backorder	52
12	Technical Drawings Parts lists, dimensions	54



SOHO



100% POLYESTER

SHEER

129 G/M²

GROUP 2



Glacial Veil
SOHO



Riverstone Drift
SOHO



Mist Alloy
SOHO



Sage Linea
SOHO



Reed Texture
SOHO



Graphite Flow
SOHO



Sandline
SOHO



White Trace
SOHO



Ashline
SOHO



Crimson Pin
SOHO



Graphite Edge
SOHO



Olive Bark
SOHO



Char Thread
SOHO



Redline
SOHO

ARROW



100% POLYESTER

SEMI TRANSPARENT

309 G/M²

GROUP 3



Mist
ARROW



Clay
ARROW



Graphite
ARROW



Ridge
ARROW

LAZULI



100% POLYESTER

SEMI TRANSPARENT

283 G/M²

GROUP 2



Loom
LAZULI



Wisp
LAZULI



Drift
LAZULI



Grain
LAZULI



Shade
LAZULI



Thread
LAZULI



Glint
LAZULI



Taupe
LAZULI

LUCETTA



100% POLYESTER

SHEER

157 G/M²

GROUP 2



Dune Mist
LUCETTA



Twin Bark
LUCETTA



Pinstripe
LUCETTA



Bold Stripe
LUCETTA



Chevron Stripe
LUCETTA



Dense Stripe
LUCETTA



Natural Weave
LUCETTA

CARILLO



100% POLYESTER

SEMI TRANSPARENT

279 G/M²

GROUP 3



Ash Dune
CARILLO



Stone Veil
CARILLO




Woven Taupe
CARILLO




Whisper Fawn
CARILLO



Birch Flax
CARILLO



Limestone Mist
CARILLO



Pale Reed
CARILLO



Graphite Ember
CARILLO



Shadow Tusk
CARILLO

NOMAD



35% COTTON, 25% POLYESTER, 20%
VISCOSE, 10% LINEN, 10% TENCEL

FABRIC

281-290 G/M²

GROUP 2



Ochre
NOMAD



Amber Frost
NOMAD



Bg. Savanna Gold
NOMAD



Bg. Canvas Bone
NOMAD



Stone
NOMAD



Sandstone Drift
NOMAD



Bg. Dust Linen
NOMAD




Eucalyptus Shadow
NOMAD



Bg. Basalt Grey
NOMAD



Bg. Glacier Grey
NOMAD



Mintstone
NOMAD



Bg. Fossil Beige
NOMAD



Nightfall
NOMAD



Nordic Steel
NOMAD




Bg. Ash Mist
NOMAD



Bg. Iron Thread
NOMAD



Slate Mist
NOMAD



Ashline Granite
NOMAD



Bg. Ash Storm
NOMAD



Bg. Obsidian
NOMAD

PERISCOPE



100% LINEN

SEMI TRANSPARENT

270 G/M²

GROUP 4



Frost Linen
PERISCOPE



Morning Ash
PERISCOPE



Dawn Mist
PERISCOPE



Cloud Veil
PERISCOPE



Quiet Pewter
PERISCOPE



Gravel Dust
PERISCOPE




Ash Harbor
PERISCOPE



Greige Calm
PERISCOPE



Slate Dune
PERISCOPE



Flint Mist
PERISCOPE



Dust Taupe
PERISCOPE



Pale Clay
PERISCOPE



Sunkissed Earth
PERISCOPE



Terracotta Bloom
PERISCOPE



Bronze Haze
PERISCOPE



Desert Olive
PERISCOPE



Stone Bark
PERISCOPE



Golden Soil
PERISCOPE



Rust Ember
PERISCOPE



Storm Flint
PERISCOPE



Burnt Mocha
PERISCOPE



Deep Graphite
PERISCOPE



Fogstone
PERISCOPE



Steel Current
PERISCOPE



Indigo Night
PERISCOPE

OUTLANDER



100% POLYESTER


FABRIC

300 G/M²

GROUP 1



Ivory Cloud
OUTLANDER



Soft Sand
OUTLANDER



Linen Mist
OUTLANDER



Almond Shell
OUTLANDER



Oyster White
OUTLANDER



Moonstone
OUTLANDER



Ash Plum
OUTLANDER



Pebble Beige
OUTLANDER



Sunlit Sand
OUTLANDER



Toasted Honey
OUTLANDER



Burnt Sienna
OUTLANDER



Cinnamon Clay
OUTLANDER



Terracotta Flame
OUTLANDER



Crimson Bloom
OUTLANDER



Ruby Red
OUTLANDER



Berry Blush
OUTLANDER



Mauve Mist
OUTLANDER



Lavender Dust
OUTLANDER



Plum Velvet
OUTLANDER



Rosewood Blush
OUTLANDER



Mulberry Dusk
OUTLANDER



Storm Indigo
OUTLANDER



Ocean Teal
OUTLANDER



Mineral Aqua
OUTLANDER



Slate Blue
OUTLANDER



Fog Steel
OUTLANDER



Olive Ash
OUTLANDER



Urban Smoke
OUTLANDER



Cool Horizon
OUTLANDER



Kelly Green
OUTLANDER



Sage Dust
OUTLANDER



Ash Grey
OUTLANDER



Stone Bark
OUTLANDER



Dust Grey
OUTLANDER



Coffee Charcoal
OUTLANDER



Truffle
OUTLANDER



Graphite Blue
OUTLANDER



Midnight Shadow
OUTLANDER

OBSCURA




100% POLYESTER

BLACKOUT

275 G/M²

GROUP 1



Cloudline
OBSCURA




Mist Linen
OBSCURA




Dune Fog
OBSCURA



Pale Drift
OBSCURA



Taupe Trace
OBSCURA



Soft Flint
OBSCURA



Ash Stone
OBSCURA



Urban Veil
OBSCURA



Shadow Burl
OBSCURA



Char Blend
OBSCURA



Drift Sand
OBSCURA



Flint Beige
OBSCURA



Iron Smoke
OBSCURA



Graphite Fog
OBSCURA

PIERO




80% ACRYLIC, 20% WOOL

SHEER

340 G/M²

GROUP 1



Iron Shadow
PIERO



Graphite Drift
PIERO



Ash Fog
PIERO




Stone Smoke
PIERO



Dust Taupe
PIERO




Cloud Zinc
PIERO



Marble Grey
PIERO



Mist Silver
PIERO



Steel Veil
PIERO

MARLOW



93% POLYESTER, 7% LINEN

SEMI TRANSPARENT

344 G/M²

GROUP 1



Pale Drift
MARLOW



Cotton Dust
MARLOW



Linen Fog
MARLOW



Clay Whisper
MARLOW



Natural Husk
MARLOW



Pebble Tone
MARLOW



Sandstone Veil
MARLOW



Twilight Moss
MARLOW



Sage Cloud
MARLOW



Slate Dune
MARLOW




Driftwood Grey
MARLOW



Warm Flint
MARLOW



Dune Smoke
MARLOW



Olive Mist
MARLOW



Cobblestone
MARLOW



Arctic Haze
MARLOW



Lavender Ash
MARLOW



Rose Dust
MARLOW



Canyon Clay
MARLOW



Dusty Cedar
MARLOW



Brickwood
MARLOW



Cinnamon Clay
MARLOW



Olive Grove
MARLOW

HESPERIA



72% ACRYLIC, 20% POLYESTER, 8%
WOOL

THICK TULE TEXTURE

300 G/M²

GROUP 4



Slateforge
HESPERIA



Graphite Veil
HESPERIA



Iron Mist
HESPERIA



Silver Thatch
HESPERIA



Ash Drift
HESPERIA



Dune Mist
HESPERIA



Olive Grain
HESPERIA



Oatshade
HESPERIA



Carbon Weave
HESPERIA



Blue Dusk
HESPERIA

ATMOSPHERE




100% LINEN


SEMI TRANSPARENT

410 G/M²

GROUP 4



Mist Silver
ATMOSPHERE



Pale Flint
ATMOSPHERE



Steel Dusk
ATMOSPHERE



Glacier Teal
ATMOSPHERE



Nordic Lake
ATMOSPHERE



Baltic Stone
ATMOSPHERE



Storm Fjord
ATMOSPHERE



Obsidian Fog
ATMOSPHERE



Harbor Ink
ATMOSPHERE



Iron Eclipse
ATMOSPHERE



Twilight Navy
ATMOSPHERE

UMBERTO



70% ACRYLIC, 20% LINEN, 10% WOOL


SHEER

235 G/M²

GROUP 3




Chalk
UMBERTO



Bone
UMBERTO



Olive
UMBERTO



Mist
UMBERTO



Graphite
UMBERTO



Clay
UMBERTO



Dust
UMBERTO




Frost
UMBERTO



Ash
UMBERTO



Charcoal
UMBERTO



Flint
UMBERTO



Obsidian
UMBERTO

Fabric

Contents

Grp 1

Grp 2

Grp 3

Grp 4


FABRIC	MATERIAL	TRANSPARENCY	GRP	G/M2
SOHO	100% Polyester	Sheer	2	129
ARROW	100% Polyester	Semi Transparent	3	309
LAZULI	100% Polyester	Semi Transparent	2	283
LUCETTA	100% Polyester	Sheer	2	157
CARILLO	100% Polyester	Semi Transparent	3	279
NOMAD	35% Cotton, 25% Polyester, 20% Viscose, 10% Linen, 10% Tencel	Fabric	2	281-290
PERISCOPE	100% Linen	Semi Transparent	4	270
OUTLANDER	100% Polyester	Fabric	1	300
OBSCURA	100% Polyester	Blackout	1	275
PIERO	80% Acrylic, 20% Wool	Sheer	1	340
MARLOW	93% Polyester, 7% Linen	Semi Transparent	1	344
HESPERIA	72% Acrylic, 20% Polyester, 8% Wool	Thick Tule Texture	4	300
ATMOSPHERE	100% Linen	Semi Transparent	4	410
UMBERTO	70% Acrylic, 20% Linen, 10% Wool	Sheer	3	235

Note: Colors may vary between dye lots. All materials fade from sunlight over time.

PRICE GROUPS:

Group 1 – Entry | Group 2 – Standard | Group 3 – Premium | Group 4 – Luxury

Fold Styles




Most Popular

Seamless Flat

Back Seams

Fabric folds stack neatly behind the shade when raised, keeping the front face completely clean and smooth. Seams are hidden at the back — ideal for patterned or textured fabrics.

- Clean flat face
- Seams concealed at back
- Ideal for patterns & textures
- All lift types



Tailored Look

Classic Flat

Front Seams

Similar to Flat Fold but with visible horizontal seam lines on the front face. The seams create a structured, tailored appearance — a popular choice for solid fabrics.

- Visible front seam lines
- Structured tailored look
- Best with solid fabrics
- All lift types




Casual & Soft

Relaxed

Soft Drape

The bottom edge curves gently upward at the sides, creating a relaxed swag effect. When raised, fabric pools softly rather than folding in crisp layers. Works beautifully with sheers and linens.

- Curved soft bottom edge
- Casual swag silhouette
- Best with sheer & linen
- Cordless & CCL only



Luxurious

Hobbled

Looped / Waterfall

Excess fabric is left between each rod, creating cascading loops that remain visible even when fully lowered. Adds significant depth and texture to any window.

- Cascading fabric loops
- Visible folds when lowered
- Extra fabric required
- Best with heavy fabrics

Lift Mechanisms

Three lift systems — each available in standard Bottom-Up and exclusive TDBU configuration.



Child Safe

Cordless

The cleanest, safest lift option. Simply push or pull the bottom rail to raise or lower the shade. No cords, no chains — ideal for homes with children and pets.

— No exposed cords — child & pet safe

— Spring tension bottom rail

— Replaceable cordless handles

— Color coordinated headrail & end caps

— 2-on-1 available

19" MIN WIDTH	96" MAX WIDTH	96" MAX HEIGHT	20" MIN HEIGHT
TDBU AVAILABLE		Min width 24" — Max width 84"	



Chain Control

CCL

Continuous cord loop system offering precise light control. A beaded chain raises and lowers the shade smoothly — ideal for larger or heavier shades.

— Continuous beaded chain control

— Smooth operation on large shades

— Safety device for chain loop

— Left or right chain position

— Color coordinated headrail & end caps

19" MIN WIDTH	105" MAX WIDTH	137" MAX HEIGHT	20" MIN HEIGHT
TDBU AVAILABLE		Min width 24" — Max width 105"	



Smart Home Ready

Motorized

Remote MOTION midmotor seamlessly integrated inside the headrail. Control via remote or mobile app. Compatible with smart home systems for automated scheduling.

— Remote MOTION midmotor

— Control by remote or mobile app

— Motor seamlessly inside headrail

— Programmable stop positions


— Smart home system compatible

24" MIN WIDTH	105" MAX WIDTH	137" MAX HEIGHT	20" MIN HEIGHT
TDBU AVAILABLE		Min width 34" — Max width 105"	

Top Down Bottom Up

TDBU

TDBU allows the shade to be operated from both the top and the bottom simultaneously – giving complete control over light and privacy at any time.



EXCLUSIVE TO LUMIA

Why TDBU matters

Most manufacturers offer TDBU only on cordless mechanisms. Lumia is the only manufacturer to offer TDBU across all three lift types –

Cordless TDBU

Min 24" Max 96"

– Top-down & bottom-up – Middle rail + bottom rail – Manage light & privacy

CCL TDBU

Min 24" Max 105"

– Top-down & bottom-up – Middle rail + bottom rail – Manage light & privacy

Motorized TDBU

Min 34" Max 105"

– Top-down & bottom-up – Middle rail + bottom rail – Manage light & privacy









Ideal use cases

- Bedroom**
Privacy below, natural light from top
- Living Room**
Street view blocked, sky light admitted
- Home Office**
Screen glare reduced, ambience preserved
- Bathroom**
Full privacy with soft diffused light

Headrail Colours

Color coordinated aluminum headrails and end caps – available in 12 colours across all lift types.

MATERIAL	Aluminum extrusion
FINISH	Powder coated
COMPATIBILITY	All lift types
END CAPS	Color matched
2-ON-1	Cordless & CCL

 White RAL 9016	 Cream RAL 780-1	 Lilac RAL 4009	 Blue RAL 5000
 Light Brown SAR 19	 Green YESY 980	 Camel RAL 1011	 Black RAL 9011
 Brown RAL 8025	 Grey RAL 7040	 Dark Grey GRIHY 43	 Maroon RAL 3005

Note: Headrail colours are selected to coordinate with fabric choices. Physical samples available on request.

Sizing & Specifications

Inside Mount



Outside Mount



Inside mount deduction: 3/8" — No deduction for outside mount

Lift Type	Min Width	Max Width Single	Max Width 2-on-1	Min Height	Max Height	Min Inside Depth	Min Recessed Depth	Min Outside Surface
Cordless	19"	96"	105"	20"	96"	1½"	2"	2¼"
Cordless TDBU	24"	96"	105"	20"	96"	1½"	2"	2¼"
CCL	19"	105"	105"	20"	137"	1½"	2"	2¼"
CCL TDBU	24"	105"	N/A	20"	137"	1½"	2"	2¼"
Motorized	24"	105"	N/A	20"	137"	1½"	2"	2¼"
Motorized TDBU	34"	105"	N/A	20"	137"	1½"	2"	2¼"

0" – 38"
2 brackets

38" – 59"
3 brackets

59"+
4 brackets

- Universal mounting brackets suitable for wall and ceiling mount.
- Hold down brackets and spacer blocks available on request.
- For 2-on-1 configuration, refer to individual lift type max width.

Product Features



Unique to Lumia

No-Liner Option

Most Roman Shades require a lining fabric attached to the back. Lumia offers a no-liner construction — the shade is made from a single layer of fabric, creating a

- Single layer fabric construction
- Softer, more natural drape
- Gentle light diffusion
- Available on all fabric types



Easy Care

Washable Fabric

Lumia Roman Shades feature a unique ring-based shroud system that allows the fabric to be removed from the mechanism without tools. The fabric can then be

- Ring-based cord shroud system
- Fabric removable without tools
- Machine or hand washable
- Re-attach fabric when dry



Space Saving

2-on-1 Configuration

Two Roman Shades can be mounted on a single headrail, sharing one set of brackets. Ideal for wide windows or patio doors where a single wide shade would be too

- Two shades on one headrail
- Single set of brackets
- Each shade operates independently
- Available on Cordless & CCL



Flexible Design

Dual Fabric Option

One mechanism can accommodate two different fabrics — allowing the customer to change the look of their shade without replacing the entire unit. Simply swap the

- Two fabric options per mechanism
- Easy fabric panel swap
- No tools required
- Change look without full replacement




1 Year Service

Fabric Replacement Service

Within one year of purchase, customers can order a replacement fabric panel for their existing shade. Only the fabric cost is charged — the mechanism stays in place.

- Available within 1 year of purchase
- Only fabric cost charged
- Mechanism remains installed
- Sustainable & cost-effective



Safety First

Child Safe Cord System

All CCL and motorized mechanisms feature a shrouded cord system where the operating cord is enclosed within a protective sleeve, eliminating exposed

- Shrouded cord on CCL mechanisms
- Zero cords on cordless range
- Complies with child safety standards
- Safety device on all chain loops

Installation Guide

BOX CONTENTS & TOOLS

Shade	Headrail, fabric and bottom rail as one unit
Brackets	2, 3 or 4 pieces depending on width
Screws	For securing brackets
Wall Plugs	For wall/ceiling mounting

REQUIRED TOOLS

- Pencil
- Tape Measure
- Screwdriver
- Drill

Min. inside mount depth: 1½" — Min. fully recessed: 2" — Shade manufactured 3/8" narrower than ordered

- 1

Check All Contents

 - Open the box and confirm all parts are included.
 - Do not discard packaging until the shade is installed and working.
- 2

Prepare Your Tools

 - Ensure pencil, tape measure, screwdriver and drill are ready.
- 3

Test-Fit the Shade

 - Hold the shade inside the window frame without mounting.
 - Confirm it fits properly and there is sufficient depth (min. 1½").
- 4

Mark Bracket Positions


 - Mark a point 3" (7.5cm) from each inner edge of the window frame.
 - Space extra brackets evenly (3 for 38"–59", 4 for 59"+).
- 5a

Mark Screw Holes — Inside Mount

 - Hold bracket at marked position.
 - Use the single center hole only.
 - Do not use the two side holes — those are for outside mount.
- 5b

Mark Screw Holes — Outside Mount


 - Position bracket above window opening, equally spaced on both sides.
 - Use the 2 side holes to mark screw positions.




Inside mount bracket — use center hole

Outside mount bracket — use 2 side holes

6	Drill the Holes • Drill into the marked points. • Insert wall plug into each hole.
7a	Secure Brackets — Inside Mount • Align brackets over wall plugs and tighten screws. • Do not overtighten — bracket may be damaged. CAUTION: Do NOT use the rear holes — inside mount only uses the center oval hole.
7b	Secure Brackets — Outside Mount • Align brackets at marked positions. • Insert hex-head screws through the 2 side holes and tighten.
8	Attach the Shade to the Brackets • With shade fully raised, bring headrail toward brackets. • Slide the front of the rail into the bracket front channel. • Push shade back and upward until rear clips snap onto rail — you will hear a click. • Confirm shade is centered in the window opening.
9	Test the Shade • Pull down and push up to test operation. • Shade may feel stiff at first — this is normal and loosens with use. • Run hand gently down the fabric to guide it to desired length.



Correct: center oval hole



Outside: 2 side screws



Front clip first, then rear clip

Cleaning & Care

- Regular Cleaning:** Use a lint-free cloth or vacuum brush. Work horizontally to preserve fabric structure.
- Stain Removal:** Gently blot with damp sponge and mild detergent. Do not rub.
- Sun Fading:** All materials fade over time. Color matching with older shades may not be possible.

General Reminders

Important operational notes for retailers and customer service teams.

DAMAGED GOODS

- Do not tell customers to donate or throw away damaged shades.
- Claims are filed with FedEx — they need to inspect the damaged box and shade.
- FedEx inspection may take up to 8 business days to finalize.

BACKORDER & PARTIAL SHIPMENTS

- If a fabric is on backorder, the order may be partially shipped with a note inside the box.
- Do not place a remake without first checking whether a partial shipment is the cause.

COLOR & MATERIAL

- Colors may vary from dye lot to dye lot — this is normal.
- All materials fade from sunlight over time.
- It will not be possible to match shades installed some time ago.

SHIPPING & TRACKING

- Multiple boxes in one order can be tracked on the same page using a single tracking number — check the bottom of the page for details.
- FedEx does not deliver to PO Boxes — always provide a physical address.

REMAKES

- Remakes require as much information as possible — include photos where available.
- Always try to resolve the issue before placing a remake.
- Check with us before entering a remake if you suspect the order is missing.
- Do not place a remake without confirming backorder status first.


GENERAL NOTES

- Save packaging until the shade is confirmed working.
- Universal mounting brackets are suitable for wall and ceiling mount.
- Hold down brackets and spacer blocks are available on request.
- Replaceable parts: end caps, cordless handles, handle latches.

ROMAN SHADES


CORDLESS BOTTOM UP

- Compact design
- Smooth operation



- 1. Headrail
 - *Fabric Color Coordinations
- 2. Spring
- 3. Cord Cradle
- 4. Hook & Loop Tape
- 5. Mounting Brackets
 - *Inside & Outside
- 6. End Cap
 - *Color Coordinated
- 7. Shrouded Cord
 - *Child Safety
- 8. Fabric
 - Sheer-Semi Transparent-Light Filtering-Blackout
- 9. Rod
 - *Spaced 6 inches apart.
- 10. Bottom Rail
- 11. Handle (Bottom Rail)

Dimensions
Bottom-up



Dimension C		Dimension D		Dimension E		Dimension F		Dimension G		Dimension H	
mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
55.6	2 3/16	50.3	2	40.2	1 9/16	42.9	1 11/16	9.2	6/16	62.4	2 7/16

System package height Tp (cm)		
	mm	in
Cordless bottom-up	152<>254	6 <> 10


ROMAN SHADES

CORDLESS CONTROL
TOP-DOWN / BOTTOM-UP

- Top-down / bottom-up
- Manage light and privacy
- Slim design, no light gap




PARTS LIST TOP-DOWN / BOTTOM-UP



1. Headrail
*Fabric Color Coordinations
2. Spring
3. Cord Cradle TDBU
4. Hook & Loop Tape
5. Mounting Brackets
*Inside & Outside
6. End Cap
*Color Coordinated
7. Shrouded Cord
*Child Safety
8. Fabric
Sheer-Semi Transparent-Light Filtering-Blackout
9. Rod
*Spaced 6 inches apart.
10. Bottom Rail
11. Middle Rail
12. Middle Rail End Cap
13. Handle (Bottom Rail)
14. Handle (Middle Rail)

Dimensions

TOP-DOWN / BOTTOM-UP



Dimension C		Dimension D		Dimension E		Dimension F		Dimension G		Dimension H	
mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
55.6	2 3/16	50.3	2	40.2	1 9/16	42.9	1 11/16	9.2	6/16	62.4	2 7/16


Dimension P "Max."	
mm	in
108 > 210	4 1/4 > 8 1/4

System package height Tp (cm)		
	mm	in
Cordless top-down / bottom-up	152 > 254	6 > 10

ROMAN SHADES



PARTS LIST BOTTOM-UP

- Compact design
- Gearing for light operation
- Smooth operation



- 1. Headrail
*Fabric Color Coordinations
- 2. Control Unit
- 3. Lift Cord/Tape Roll
- 4. Hook & Loop Tape
- 5. Mounting Brackets
*Inside & Outside
- 6. End Cap
*Color Coordinated
- 7. Shrouded Cord
*Child Safety
- 8. Fabric
Sheer-Semi Transparent-Light Filtering-Blackout
- 9. Rod
*Spaced 6 inches apart.
- 10. Bottom Rail
- 11. Safety Device
*Designed for ball-chains of Ø4.5mm in diameter.

Dimensions
Bottom-up



Operation	Min. width		Max. width		Max. height	
	cm	in	cm	in	cm	in
Chain/cord	474	19	266.7	105	350	137.7

Dimension A		Dimension B		Dimension C		Dimension D		Dimension E		Dimension F	
mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
min.112	min.4.4	13	0.51	58.5	2.3	55	2.16	36	1.41	37	1.45

Dimension G		Dimension H	
mm	in	mm	in
15,5	0.61	47,5	1.87

System package height Tp (cm)		
	mm	in
Cordless bottom-up	152<254	6 < 10


ROMAN SHADES

CHAIN CONTROL
TOP-DOWN / BOTTOM-UP

- Top-down / bottom-up
- Manage light and privacy
- Slim design, no light gap





PARTS LIST TOP-DOWN / BOTTOM-UP



Dimensions

TOP-DOWN / BOTTOM-UP



TOP-DOWN/BOTTOM-UP

Operation	Min. width		Max. width		Max. height	
	cm	in	cm	in	cm	in
Chain/cord	60	23.6	266.7	105	350	137.7

Dimension A		Dimension B		Dimension C		Dimension D		Dimension E		Dimension F	
mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
min.158	min.6.22	13	0.51	58.5	2.3	55	2.16	36	1.41	37	1.45


Dimension G		Dimension H	
mm	in	mm	in
15,5	0.61	47,5	1.87

System package height Tp (cm)		
	mm	in
Cordless top-down / bottom-up	152<254	6<10

ROMAN SHADES

MOTORIZED

- Remote MOTION midmotor
- Control by remote or mobile app
- Motor seamlessly integrated in the head rail



- 1. Headrail
 - *Fabric Color Coordinations
- 2. Motorize
- 3. Lift Cord/Tape Roll
- 4. Hook & Loop Tape
- 5. Mounting Brackets
 - *Inside & Outside
- 6. End Cap
 - *Color Coordinated
- 7. Shrouded Cord
 - *Child Safety
- 8. Fabric
 - Sheer-Semi Transparent-Light Filtering-Blackout
- 9. Rod
 - *Spaced 6 inches apart.
- 10. Bottom Rail
- 11. Tassel
- 12. QR Code

Dimensions
Bottom-up



BOTTOM-UP

Operation	Min. width		Max. width		Max. height	
	cm	in	cm	in	cm	in
Motorized	60	24	266.7	105	350	137.7

Dimension A		Dimension B		Dimension C		Dimension D		Dimension E		Dimension F	
mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
min.213	min.8.39	13	0.51	58,5	2.3	55	2.16	36	1.41	37	1.45


Dimension G		Dimension H	
mm	in	mm	in
15,5	0.61	47,5	1.87

System package height Tp (cm)		
	mm	in
Cordless bottom-up	152-254	6 - 10

ROMAN SHADES



MOTORIZED Top Down Bottom Up

- Remote MOTION midmotor
- Control by remote or mobile app
- Motor seamlessly integrated in the head rail



Dimensions

TOP-DOWN / BOTTOM-UP



TOP-DOWN/BOTTOM-UP

Operation	Min. width		Max. width		Max. height	
	cm	in	cm	in	cm	in
Motorized	85.3	34	266.7	105	350	137.7

Dimension A		Dimension B		Dimension C		Dimension D		Dimension E		Dimension F	
mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
min.273	min.10.74	13	0.51	58.5	2.3	55	2.16	36	1.41	37	1.45

Dimension G	
mm	in
15.5	0.61

System package height Tp (cm)		
Cordless top-down / bottom-up		152<=254 6<=10